

IN THE  
PUBLIC PROCUREMENT APPEALS AUTHORITY  
AT DAR ES SALAAM  
APPEAL CASES NO. 07 OF 2017-18

BETWEEN

M/S GROUP SIX INTERNATIONAL LTD.....APPELLANT

AND

PANGANI BASIN WATER BOARD .....RESPONDENT

M/S J.E. CONSTRUCTION COMPANY LTD.....INTERESTED PARTY

ORDER

CORAM

- |                              |   |                 |
|------------------------------|---|-----------------|
| 1. Mrs. Rosemary A. Lulabuka | - | Ag. Chairperson |
| 2. Eng. Francis T. Marmo     | - | Member          |
| 3. Mr. Louis P. Accaro       | - | Member          |
| 4. Mr. Ole-Mbille Kissioki   | - | Secretary       |

SECRETARIAT

- |                           |   |                      |
|---------------------------|---|----------------------|
| 1. Ms. Florida Mapunda    | - | Senior Legal Officer |
| 2. Ms. Violet S. Limilabo | - | Legal Officer        |

FOR THE APPELLANT

Absent

## FOR THE RESPONDENT

1. Mr. Vendelin Z. Basso - Ag. Accounting Officer
2. Mr. Simon S. Nkanyemka - Advocate, Ministry and Irrigation
3. Ms. Maria Shauri - Procurement Supplies Officer
4. Mr. Alfred R. Mwaumba - Technical Engineer

## FOR THE INTERESTED PARTY

1. Mr. Sixtus Kessy - Project Manager
2. Mr. Peter J. Kessy - Engineer
3. Mr. Jackson Charles - Assistant Quantity Surveyor

When the matter was called for hearing on the scheduled time and date, the Appellant did not appear without any justifiable cause although he was dully served with notice of hearing dated 29<sup>th</sup> August 2017 and acknowledged receipt. On the other hand the Respondent and the Interested Party appeared on the scheduled time and date.

In view of the above the Appeals Authority dismisses the Appeal for non appearance of the Appellant pursuant to Rule 21 of the Public Procurement Appeals Rules GN. No. 411 of 2014.

It is so ordered.

This order is delivered in the presence of the Respondent and the Interested Party this 29<sup>th</sup> day of August 2017.



.....  
MRS. R. A. LULABUKA

Ag. CHAIRMAN

MEMBERS:

1. ENG.F.T MARMO ..... 

2. MR. L. P. ACCARO ..... 